

	Application No.	Applicant(s)
Notice of Allowability	09/901,289	PAN ET AL.
	Examiner	Art Unit
	Thien D. Tran	2665
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 06/10/2005. 2. The allowed claim(s) is/are 11-23 renumbered as 1-13 respectively. 3. The drawings filed on 09 July 2001 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P.	atent Application (PTO-152)
Notice of Praftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0. Paper No./Mail Date 06/03/2005 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 		e nent/Comment ent of Reasons for Allowance

Application/Control Number: 09/901,289

Art Unit: 2665

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

Regarding claims 11 and 12 the prior arts fail to teach or fairly suggest a method of assigning resource units within a cell of a wireless time division duplex communication system each resource unit is associated with a time slot and a code, the method comprising:

for selected ones of the cell's resource units, measuring a code interference level during that resource unit's time slot using that resource unit's code and determining whether that resource unit has an acceptable code interference level based on a comparison of that resource unit's measured code interference level with a threshold;

producing a preference matrix indicating which of the selected ones resource units are eliminated, in combination with other limitations as specified in the independent claims 11 and 12.

Regarding claim 13 the prior arts fail to teach or fairly suggest wireless time division duplex communication system using code division multiple access comprising: a base station comprising:

a resource unit assignment device for receiving code interference levels for resource units, producing a preference matrix using the received code interference levels, and assigning resource units to communications using the preference matrix; and a user equipment comprising:

Application/Control Number: 09/901,289

Art Unit: 2665

a resource unit assignment device for outputting code power interference measurements for use by the base station and assigning resource units to communications using the resource units assigned by the base station, in combination with other limitation as specified in the independent claim 13.

Conclusion

2. Any inquiry concerning this communication or earlier communication from the examiner should be directed to Thien Tran whose telephone number is (571) 272-3156. The examiner can normally be reached on Monday-Friday from 8:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu, can be reached on (571) 272-3155. Any inquiry of a general nature of relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-2600.

3. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have any questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197.

Application/Control Number: 09/901,289

Art Unit: 2665

Patent Examiner

Thien Tran

DUCHO PRIMARY EXAMINER

8-18-05